



UNITED STATES PATENT AND TRADEMARK OFFICE


UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

5

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/689,215	10/20/2003	Mark J. Spath	89190.115003/DP-311086	4084
22851	7590	10/27/2004	EXAMINER	
DELPHI TECHNOLOGIES, INC.			ESHETE, ZELALEM	
M/C 480-410-202			ART UNIT	
PO BOX 5052			PAPER NUMBER	
TROY, MI 48007			3748	

DATE MAILED: 10/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/689,215	Applicant(s) SPATH ET AL. 	
	Examiner Zelalem Eshete	Art Unit 3748	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07 September 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3 and 6-12 is/are rejected.
- 7) ☒ Claim(s) 4,5 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This Office Action is in response to the amendment filed on 9/7/2004.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 12 is rejected under 35 U.S.C. 102(b) as being anticipated by Church (6,196,175).

Church discloses a valve-deactivating hydraulic lifter for selectively coupling the rotary motion of a cam lobe to the reciprocal motion of a valve pushrod in an internal combustion engine (see figure 1), comprising: a) a lifter body having means for following an eccentric surface of said cam lobe and having a first axial bore and having a groove formed in a wall of said first axial bore, said groove being in communication with an oil gallery in said engine (see figure 2), b) a pin housing slidably disposed in said first axial bore and having at least one transverse bore and having a second axial bore (see figure 3; numerals 61,93); c) at least one locking pin slidably disposed in said at least one transverse bore said at least one locking pin having an outer end for selectively engaging said groove to lock said pin housing to said lifter body (see

numeral 99); and d) a clocking mechanism for limiting relative rotation between said pin housing and said lifter body (see numeral 101).

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-3,6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Church.

Regarding claims 1,7,9: Church discloses a valve-deactivating hydraulic lifter for selectively coupling the rotary motion of a cam lobe to the reciprocal motion of a valve pushrod in an internal combustion engine, wherein oil is retained in the lifter during periods of engine shutdown (see figure 1), comprising: a) a lifter body having means for following an eccentric surface of said cam lobe and having a first axial bore and having a groove formed in a wall of said first axial bore, said groove being in communication with an oil gallery in said engine (see figures 1,2), b) a pin housing slidably disposed in said first axial bore and having a transverse bore (see figure 3; numerals 61,93) c) a locking pin slidably disposed in said transverse bore and each having an outer end for selectively engaging said groove to lock said pin housing to said lifter body (see

numeral 99); and d) a clocking mechanism for limiting relative rotation between said pin housing and said lifter body (see numeral 101). Church also discloses the lifter installed in the engine at an angle (greater than zero) from vertical (see figure 1).

Church discloses the claimed invention except for a pair of locking pins. It would have been obvious to one having ordinary skill in the art at the time the invention was made to duplicate the locking pin into a pair of locking pins, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.

Regarding claims 2,8: Church discloses a hydraulic lash adjustment mechanism disposed in a second axial bore of said pin housing and including a seat for receiving an end of said pushrod, wherein said hydraulic lash adjustment mechanism includes a chamber for holding oil, and wherein said pin housing includes an oil supply port in communication with said chamber (see figure 2), and wherein said clocking mechanism causes said oil supply port to be facing upwards when said lifter is installed in said internal combustion engine at an angle greater than zero degrees from vertical (see figure 1).

Regarding claim 3: Church discloses the clocking mechanism comprises: a) a recess formed in one of said pin housing and said lifter body (see figure 2); b) a longitudinal channel formed in the other of said pin housing and said lifter body (see

figure 1; numerals 103,105); and c) a locking element disposed in said recess and said groove and extending there between (see numeral 101).

Regarding claim 6: Church discloses the locking element is selected from the group consisting of a pin and a spring clip (see figure 2).

3. Claims 10,11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Church in view of Connell (4,739,675).

Church discloses the claimed invention as recited above; however, fails to disclose the engine is a slant mount engine or a V-style engine.

Connell discloses valve lifter for V-style (slant mount) engine (see figure 1).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the valve lifter of Church in that of V-type engines as taught by Connell in order to apply the valve lifter to various engine types.

4. Claims 1-3,6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Church in view of admitted prior art.

Regarding claims 1,7,9: Church discloses a valve-deactivating hydraulic lifter for selectively coupling the rotary motion of a cam lobe to the reciprocal motion of a valve pushrod in an internal combustion engine, wherein oil is retained in the lifter during

Art Unit: 3748

periods of engine shutdown (see figure 1), comprising: a) a lifter body having means for following an eccentric surface of said cam lobe and having a first axial bore and having a groove formed in a wall of said first axial bore, said groove being in communication with an oil gallery in said engine (see figures 1,2), b) a pin housing slidably disposed in said first axial bore and having a transverse bore (see figure 3; numerals 61,93) c) a locking pin slidably disposed in said transverse bore and each having an outer end for selectively engaging said groove to lock said pin housing to said lifter body (see numeral 99); and d) a clocking mechanism for limiting relative rotation between said pin housing and said lifter body (see numeral 101). Church also discloses the lifter installed in the engine at an angle (greater than zero) from vertical (see figure 1).

Church fails to disclose more than one (a pair) locking pin.

The prior art teaches a pair of locking pins (see figure 1).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Church's system by providing a pair of locking pins as taught by the prior art in order to balance the engagements.

Regarding claims 2,8: Church discloses a hydraulic lash adjustment mechanism disposed in a second axial bore of said pin housing and including a seat for receiving an end of said pushrod, wherein said hydraulic lash adjustment mechanism includes a chamber for holding oil, and wherein said pin housing includes an oil supply port in communication with said chamber (see figure 2), and wherein said clocking mechanism causes said oil supply port to be facing upwards when said lifter is installed in said

internal combustion engine at an angle greater than zero degrees from vertical (see figure 1).

Regarding claim 3: Church discloses the clocking mechanism comprises: a) a recess formed in one of said pin housing and said lifter body (see figure 2); b) a longitudinal groove formed in the other of said pin housing and said lifter body (see figure 1; numerals 103,105); and c) a locking element disposed in said recess and said groove and extending there between (see numeral 101).

Regarding claim 6: Church discloses the locking element is selected from the group consisting of a pin and a spring clip (see figure 2).

5. Claims 10,11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Church in view of admitted prior art as applied to claim 8 above; and further in view of Connell (4,739,675).

Church in view of admitted prior art discloses the claimed invention as recited above; however, fails to disclose the engine is a slant mount engine or a V-style engine.

Connell discloses valve lifter for V-style (slant mount) engine (see figure 1).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the valve lifter of Church in view of admitted prior art in that of V-type engines as taught by Connell in order to apply the valve lifter to various

engine types.

Allowable Subject Matter

6. Claims 4,5 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

7. Applicant's arguments filed on 9/7/2004 have been fully considered but they are not persuasive.

With regard to applicant's argument on pages 8,9,12: Church discloses the locking pin or the latch member selectively engaging a groove or opening formed in a wall of a first axial bore of a lifter body, in that Church teaches that a groove is made in the lifter body (an all through groove) into which the locking pin is engaged or disengaged (see figure 3; numeral 97,99).

With regard to applicant's argument on page 10,12: Church discloses all the claimed limitation except for duplicating the locking pins, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8. In addition, one of ordinary skill in the art would notice that using two locking pins is more balanced than using one locking pin.

With regard to applicant's argument on page 10: Church discloses a longitudinal channel or elongated opening formed in the other of the pin housing and the lifter body, in that Church teaches a groove or channel or opening is made in the pin housing and the lifter body to accommodate the clocking mechanism (see figures 1,2).

With regard to applicant's argument on page 13: Admitted church discloses a clocking mechanism and a locking pin (see figures 1,2). The prior art teaches a pair of locking pins (see figure 1). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Church's system by providing a pair of locking pins as taught by the prior art in order to balance the engagements. Examiner disagrees with applicant's argument that such modification eliminates the clocking mechanism, because such modification is feasible by simply separating the clocking mechanism from the locking pin.

Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

Art Unit: 3748

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zelalem Eshete whose telephone number is (703) 306-4239. The examiner can normally be reached on Monday to Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas Denion can be reached on (703) 308-2623. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Zelalem Eshete
Examiner
Art Unit 3748

Z


THOMAS DENION
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700